

Algebra II
State Mathematics Contest Finals
May 1, 2003

1. If m is a positive real number, determine the sum of the roots of the equation $(2x - 3)^2 - m = 0$.

a. 1 b. 3 c. 5 d. 7 e. 9

2. Simply: $\sqrt[x]{\sqrt{\sqrt[3]{25}}}$ where x is a natural number greater than 1.

a. 25^{3x} b. $25^{\frac{1}{3x}}$ c. $5^{\frac{1}{3x}}$ d. 5^{3x} e. none of these

3. The set of real numbers satisfying $\frac{1}{x+1} > \frac{1}{x-2}$ is:

a. $\{x \mid x > 2\}$ b. $\{x \mid -1 < x < 2\}$ c. $\{x \mid x < 2\}$
d. $\{x \mid x < -1\}$ e. $\{x \mid x > -1\}$

4. Solve for x : $9^{x+1} + 9^{x+2} + 9^{x+3} + 9^{x+4} + 9^{x+5} = 22143$

a. $-\frac{1}{2}$ b. $\frac{1}{2}$ c. $-\frac{1}{3}$ d. $\frac{1}{3}$ e. none of these

5. How many real solutions does the following equation have?

$$\sqrt{1+x+\sqrt{x}} = \sqrt{x+\sqrt{x+7}}$$

a. 4 b. 3 c. 2 d. 1 e. 0

6. A bag contains a number of marbles of which 80 are red, 24 are white, and the rest are blue. If the probability of randomly selecting a blue marble from this bag is $\frac{1}{5}$, how many blue marbles are there in the bag?

a. 25 b. 26 c. 27 d. 28 e. 29

7. If $f(x) = f(x - 2) + x$, and $f(7) = 11$, find $f(5)$.

a. 10 b. 8 c. 6 d. 8 e. 4

8. When $x^4 - 6x^2 + 5$ is factored completely with integer coefficients, then the sum of the factors is:
- a. $x^2 + 2x - 5$ b. $x^2 + 2x + 3$ c. $x^2 - 7$
d. $x^3 - 5$ e. none of these
9. Let $\frac{2x-11}{x^2-5x-14} = \frac{B}{x-7} + \frac{C}{x+2}$ be an identity in x . The value of $B + C$ is:
- a. 4 b. -2 c. 5 d. 2 e. -4
10. Find, if possible, the inverse of $f(x) = \frac{x+2}{x-3}$.
- a. $\frac{6x+2}{x-1}, x \neq 1$ b. $\frac{3x-2}{x+2}, x \neq -2$ c. $\frac{3x+2}{x-1}, x \neq 1$
d. $\frac{6x-2}{x+2}, x \neq -2$ e. no inverse exists
11. Simplify the following rational function. $\frac{x^3 - y^3}{x^4 + x^2y^2 + y^4}$
- a. $\frac{x-y}{x^2 + xy + y^2}$ b. $\frac{x-y}{x^2 - xy + y^2}$ c. $\frac{1}{x^2 - xy + y^2}$
d. $\frac{1}{x^2 + y^2}$ e. none of these
12. Determine the range of the function $F(x) = \frac{x+3}{x}$.
- a. $\{x \mid x \in \text{Re als}\}$ b. $\{x \mid x \in \text{Re als}, x \neq 0\}$ c. $\{x \mid x \in \text{Re als}, x \neq -1\}$
d. $\{x \mid x \in \text{Re als}, x \neq -3\}$ e. $\{x \mid x \in \text{Re als}, x \neq 1\}$
13. If $\frac{9+3^{2x}}{10} = 3^x$, then the value of $x^2 + x + 1$ is
- a. 0 or 2 b. 0 only c. 1 or 7 d. 7 only e. 1 only
14. Find the sum of all real solutions to the equation $y^2 = |5 - 4y|$.
- a. 0 b. 1 c. 2 d. 3 e. none of these

15. For all real numbers p, q, x, y which satisfy $x > p$ and $y > q$, then which of the following inequalities are satisfied?
- i. $x^2y^2 > p^2q^2$ ii. $x + y > p + q$ iii. $x^2 + y^2 > p^2 + q^2$
- a. i, ii, iii b. i only c. ii, iii d. ii only e. none of these
16. Josh and nine of his friends volunteered to help clean Mr. Camp's vacant lot. Mr. Camp needed 2 mowers, 5 twig collectors and 3 to rake. In how many ways can these jobs be assigned to Josh and his friends?
- a. 5040 b. 50,400 c. 15210 d. 25,200 e. 2520
17. Mickey and Minnie have x one dollar bills. Minnie noticed that if she stacked the dollar bills in stacks of 8, she had 7 bills left over. When Mickey made stacks of 6, he had 3 left over. Together they made stacks of 7 and had 4 left over. If they have less than \$100, how many bills did they have left over when they made stacks of 5?
- a. 4 b. 3 c. 2 d. 1 e. 0
18. The graph of two parabolas $y = 2x^2$ and $y = x^2 + x + 6$ intersect in two points. An equation for the line that passes through these two points is
- a. $x - 2x + 18 = 0$ b. $2x - y - 18 = 0$ c. $2x - y + 12 = 0$
d. $2x - y + 4 = 0$ e. $x - 2y + 12 = 0$
19. Find the sum of the real roots of the equation, $6x^2 + 11x + k = 0$, if $3x - 2$ is a factor of $6x^2 + 11x + k$.
- a. $-7/15$ b. $7/12$ c. $-5/3$ d. $11/3$ e. $-11/6$
20. If $f(x) = \left(\frac{x^4 - x^3 + x^2 - x + 1}{x} \right)^3$ and $i = \sqrt{-1}$, then $f(i)$ equals
- a. i b. -1 c. $-i$ d. 1 e. $2i$
21. Which of the following is equivalent to $-\log_2(x - \sqrt{x^2 - 1})$?
- a. $\frac{1}{2} \log_2 \left(\frac{x^2 - 1}{x} \right)$ b. $\left(\log_2 x - \frac{1}{2} \log_2(x^2 - 1) \right)^{-1}$ c. $\log_2(x + \sqrt{x^2 - 1})$
d. $\frac{1}{2} \log_2(x^2 - 1) - \log_2 x$ e. none of these

22. If $\ln \sqrt[a]{e^5} + \frac{2 \ln \sqrt[b]{e^4}}{a} - \frac{5 \ln \sqrt[e]{e^3}}{3} = 16$ where a and b are natural numbers greater than 1, then the value of ab is:
- a. $\frac{1}{2}$ b. $\frac{1}{4}$ c. 4 d. 6 e. can not be determined
23. If $8 \cdot {}_n P_3 = 2 \cdot {}_n P_4$, then
- a. $n < 6$ b. $6 < n < 10$ c. $10 < n < 20$
d. $n > 20$ e. impossible problem
24. Let F be a function for which $F(x/2) = x^2 + x + 3$. Find the sum of all values of w for which $F(3w) = 9$.
- a. $-\frac{1}{3}$ b. $\frac{1}{9}$ c. $-\frac{1}{6}$ d. $-\frac{2}{3}$ e. 6
25. Suppose $F(5) = 7$. Find the coordinates of the corresponding point (x, y) on the graph of $y = 3 \cdot F(2x + 5) - 5$. Then $x + y$ equals
- a. 15 b. 16 c. 12 d. -13 e. -16
26. An isosceles right triangle region of area 36 is cut from a corner of a rectangular region with sides of length $6\sqrt{2}$ and $6(\sqrt{2} + 1)$. What is the perimeter of the resulting trapezoid?
- a. 36 b. $18\sqrt{2} + 18$ c. 30
d. $12\sqrt{2} + 24$ e. $24\sqrt{2} + 12$
27. If $\log_5 \sqrt{2} = x$, then $\log_{\sqrt{2}} 5$ equals:
- a. $-x$ b. x^2 c. $-\sqrt{x}$ d. $1/x$ e. \sqrt{x}
28. If $x^2 - (1 - 2i)x = (\frac{1}{2} + i)$, find the complete solution.
- a. $\left\{ \frac{1 \pm 2i}{2} \right\}$ b. $\left\{ \frac{1 \pm 3i}{3} \right\}$ c. $\left\{ \frac{1+i}{i}, \frac{1+3i}{2} \right\}$
d. $\left\{ \frac{1-2i}{2}, \frac{1+3i}{2} \right\}$ e. none of these

29. Simplify: $x^{\frac{1}{2}} \cdot x^{-\frac{1}{4}} \cdot x^{\frac{1}{8}} \cdot x^{-\frac{1}{16}} \dots$
- a. x b. \sqrt{x} c. $\sqrt[3]{x}$ d. x^2 e. $\sqrt[5]{x}$
30. If the following system of equations
- $$\begin{aligned} y &= -x + 5 \\ kx + y &= 17 \\ x + ky &= -2 \end{aligned}$$
- is consistent and k is a constant, then the value of $2k + 1$ is:
- a. 2 b. 6 c. 4 d. 3 e. 5
31. Given $f(x) = x + \frac{1}{4}$ and $h(x) = x^{\frac{3}{2}}$, find $(h \circ f^{-1})(\frac{1}{2})$.
- a. $\frac{1}{2}$ b. $-\frac{1}{4}$ c. $\frac{1}{8}$ d. $\frac{1}{4}$ e. $-\frac{1}{8}$
32. The natural numbers are grouped as indicated: $\{1\}$, $\{2,3\}$, $\{4, 5, 6\}$, $\{7, 8, 9, 10\}$, ... with m numbers in the m^{th} group. Find the sum of the numbers in the 110^{th} group.
- a. 665,555 b. 55,000 c. 55,555 d. 450,000 e. 700,565
33. Let $P(a, b)$ and $Q(c, d)$ denote two distinct points on the graph of $f(x) = x^2$. Suppose that the slope of line PQ is 5 and the x coordinates of P and Q differ by 1. Find $b + d$.
- a. 41 b. 25 c. 13 d. 5 e. none of these
34. Let L denote the line which passes through the point $(7, 1)$ and the center of the circle $x^2 + y^2 - 10x + 6y + 9 = 0$. Which of the following points is also on the line L ?
- a. $(5, -7)$ b. $(4, -10)$ c. $(-3, 7)$ d. $(8, 3)$ e. none of these
35. What is the sum of the squares of the real and complex solutions of $x^4 + 2x^3 + 9x^2 + 18x = 0$
- a. -14 b. 8 c. 5 d. -7 e. -2

36. Given: $ax + by = (a - b)^2$ and $ax - by = a^2 - b^2$.
Determine the difference in x and y .

a. $3(a + b)$ b. $3(a - b)$ c. $2(a + b)$ d. $2(a - b)$ e. $(a - b)$

37. If the system of equations


$$y = 7 \sin x + 3 \cos x$$

$$y = 7 \cos x + 3 \sin x$$

is solved simultaneously for $0 \leq x \leq p$, the value of y must be:

a. $4\sqrt{2}$ b. $2\sqrt{5}$ c. 2 d. $5\sqrt{2}$ e. -2

38. Pictured are two semicircles. \overline{AB} is tangent to the smaller semicircle and parallel to \overline{CD} . If \overline{AB} is 16 , find the area of the shaded region.



a. $16p$ b. $32p$ c. $8p$ d. p e. $18p$

39. Solve the following inequality. $\frac{(x^2 - x - 6)}{x - 5} \geq 0$

a. $(5, +\infty)$ b. $[-2, 3] \cup [5, +\infty)$ c. $[-2, 3]$
d. $(-\infty, -2] \cup [3, 5)$ e. $[-2, 3] \cup (5, +\infty)$

40. Let a , b , c , and d represent four distinct positive integers where $a^2 - b^2 = c^2 - d^2 = 9^2$.
Find the value of $a + b + c + d$.

a. 27 b. 65 c. 98 d. 108 e. 111

Algebra II

Answers

1. b		11. b		21. c		31. c
2. c		12. e		22. a		32. a
3. b		13. c		23. b		33. c
4. a		14. e		24. c		34. d
5. d		15. d		25. b		35. a
6. b		16. e		26. d		36. d
7. e		17. a		27. d		37. d
8. a		18. c		28. e		38. b
9. d		19. e		29. c		39. e
10. c		20. a		30. e		40. d

Tie Breakers

Best of three: 4, 13, 29

Sudden Death: 14, 19, 21, 28, 32, 40